E	0	=	=	7
L	O	O	U	-

(Pages: 3)

Reg.	No
neg.	NO

Name.....

B.Sc. DEGREE (C.B.C.S.S.) EXAMINATION, OCTOBER 2014

Fifth Semester

Core Course—DIGITAL ELECTRONICS

(Common for Model I and Model II B.Sc. Physics and B.Sc. Physics-EEM)

Time: Three Hours

Maximum Weight: 25

Part A

Answer all questions.

Objective type questions-weight 1 for each bunch.

BUNCH I

Choose the correct answer:

- 1. The chief reason why digital computers use complemental subtraction is that:
 - (a) It simplifies their circuitry.
 - (b) It is a very simple process
 - (c) It can handle negative numbers easily.
 - (d) It avoids direct subtraction.
- 2. Boolean algebra is essentially based on:
 - (a) Symbols.

(b) Logic.

(c) Truth.

- (d) Numbers.
- 3. When we demorganize \overline{AB} , we get:
 - (a) AB.

(b) $\overline{A} + \overline{B}$.

(c) $\overline{A + B}$.

- (d) AB.
- 4. Noise margin is expressed in:
 - (a) Decibel.

(b) Watt.

(c) Volt.

(d) Phon.

BUNCH II

Choose the correct answer:

- 5. A flip-flop is known more formally as:
 - (a) Monostable Multivibrator.
- (b) Bistable Multivibrator.
- (c) Astable Multivibrator.
- (d) None of these.

6.	The registers which are used to simply store the data are called:						
	(a)	Buffer Registers.	(b)	Static Shift Registers.			
	(c)	Dynamic Shift Registers.	(d)	None of these.			
7.	The state of the s						
	(a)	Does not change.	(b)	Changes most often.			
	(c)	Changes most rarely.	(d)	None of these.			
8.	The resolution of a 6- bit digital- to- analog converter is :						
	(a)	2.5%.	(b)	1.25%.			
	(c)	1.587%.	(d)	6.935%.			
	Bunch III						
hoose	e the cor	rect answer:					
9.	A mod-	16 counter uses four flip flops v	with t _{pd} =	50 ns. Thus f_{max} for the ripple counter is :			
	(a)	2MHz.	(b)	3MHz.			
	(c)	4MHz.	(d)	5MHz.			
10.	10. What is the other name of the counter type ADC?						
	(a)	Dual-slope.	(b)	Flash type.			
	(c)	Digital ramp.	(d)	None of these.			
11.	1011.10	01 ₂ × 101.01 ₂ = —	med tit				
	(a)	111101.00001 ₂ .	(b)	111010.10001 ₂ .			
	(c)	101101.11001 ₂ .	(d)	111101.10001 ₂ .			
12.	When r	more than two bits are to be add	ded, which	n of the following is recommended?			
	(a)	Parallel binary adder.	(b)	Half adder.			
	(c)	Full adder.	(d)	None of these.			
			BUNCH I	V			
ill in	the blan	ks with most appropriate words	s:				
13	is also called all- or-nothing gate.						
14.	For adding 4-bit numbers we need — full adders connected in parallel.						
15.	. A full subtractor contains two half subtractors and one gate.						
16.	16. Double precision notation requires ———— storage locations.						

Part B

Answer any **five** questions. Short answer questions. Weight 1 each.

- 17. What do you mean by 'base' and 'radix' of a number system?
- 18. State and prove De Morgan's theorem.
- 19. Show that both NAND gate and NOR gate are universal gates.
- 20. What is meant by a positional weighted system?
- 21. Describe the operation of half-adder.
- 22. Why is a flip-flop called a singe bit register?
- 23. Describe some applications of counters.
- 24. What are multiplexers?

 $(5 \times 1 = 5)$

Part C

Answer any four questions. Short Essay / Problems-Weight 2 each.

- 25. What are the advantages of digital systems over the analog systems? What is the chief limitation to the use of digital techniques?
- 26. What are the characteristics of the 2's complement method?
- 27. What is a master-slave flip-flop? Discuss its working.
- 28. What do you mean by a K-map? Name its advantages and disadvantages.
- 29. What are buffer registers?
- 30. What do you mean by BCD counter?

 $(4 \times 2 = 8)$

Part D

Answer any two questions. Essay questions. Weight 4 each questions.

- 31. What are shift registers? Discuss different types of shift registers and their applications.
- 32. Define decoders and demultiplexers. With a neat diagram show how to convert a decoder into a demultiplexer.
- 33. With the help of a circuit diagram and necessary waveforms explain the working of a 4-bit ripple counter.

 $(2 \times 4 = 8)$